

**Safety Data Sheet**  
**Rhodimet AT 88 (Liquid HMB)**

SDS Revision Date:

03/24/2015



**1. Identification**

**1.1. Product identifier**

**Product Identity** Rhodimet AT 88 (Liquid HMB)

**Alternate Names** Rhodimet AT 88 (Liquid HMB)

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

**Intended use** See Technical Data Sheet.

**Application Method** See Technical Data Sheet.

**1.3. Details of the supplier of the safety data sheet**

**Company Name** Adisseo Canada Inc.  
Adisseo Canada Inc. c/o Adisseo USA Inc.  
4400 North Point Pkwy, Suite 275  
Alpharetta, GA 30022

**Emergency**

**24 hour Emergency Telephone No.** Carechem24 Toll Free (800) 727-5083

**Customer Service: Adisseo USA Inc.** For Product Information: (800) 727-1019  
Tel. 678.339.1500 – Fax 678.339.1600

**2. Hazard(s) identification**

**2.1. Classification of the substance or mixture**

Skin Corr. 1;H314 Causes severe skin burns and eye damage.

Eye Dam. 1;H318 Causes serious eye damage.

**2.2. Label elements**

Using the Toxicity Data listed in section 11 and 12 the product is labeled as follows.



**Danger**

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

# Safety Data Sheet

## Rhodimet AT 88 (Liquid HMB)

SDS Revision Date:

03/24/2015



### [Prevention]:

P260 Do not breathe mist / vapors / spray.  
P264 Wash thoroughly after handling.  
P280 Wear protective gloves / eye protection / face protection.

### [Response]:

P301+330+331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
P303+361+353 IF ON SKIN (or hair): Remove / Take off immediately all contaminated clothing. Rinse skin with water / shower.  
P304+340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.  
P305+351+338 IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing.  
P310 Immediately call a POISON CENTER or doctor / physician.  
P363 Wash contaminated clothing before reuse.

### [Storage]:

P405 Store locked up.

### [Disposal]:

P501 Dispose of contents / container in accordance with local / national regulations.

## 3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
Butanoic acid, 2-hydroxy-4-(methylthio)- CAS Number: 0000583-91-5	75 - 100	Skin Irrit. 2;H315 Eye Dam. 1;H318 Aquatic Chronic 3;H412	[1]

In accordance with paragraph (i) of §1910.1200, the specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

[1] Substance classified with a health or environmental hazard.

[2] Substance with a workplace exposure limit.

[3] PBT-substance or vPvB-substance.

\*The full texts of the phrases are shown in Section 16.

**Safety Data Sheet**  
**Rhodimet AT 88 (Liquid HMB)**

SDS Revision Date:

03/24/2015



**4. First aid measures**

**4.1. Description of first aid measures**

<b>General</b>	SPECIAL NOTE FOR PHYSICIAN: All treatments should be based on observed signs and symptoms of distress in the patient. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred. Treat symptomatically. No specific antidote available.
<b>Inhalation</b>	Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give artificial respiration. If unconscious place in the recovery position and obtain immediate medical attention. Give nothing by mouth.
<b>Eyes</b>	Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and seek medical attention.
<b>Skin</b>	Remove contaminated clothing. Wash skin thoroughly with soap and water or use a recognized skin cleanser.
<b>Ingestion</b>	If victim is conscious and alert, give 2-3 glasses of water to drink. Do not induce vomiting. Material may enter lungs and cause severe damage. Do not give anything by mouth to an unconscious person. To prevent aspiration of swallowed material, lay victim on side with head lower than waist. Persons attending victim should avoid direct contact with heavily contaminated clothing and vomitus. Wear impervious gloves while decontaminating skin and hair. Seek medical attention. Do not leave victim unattended.

**4.2. Most important symptoms and effects, both acute and delayed**

<b>Overview</b>	Acute Eye: Corrosive. Can cause permanent damage to the cornea. Acute Skin: Low acute dermal toxicity. Can cause redness, inflammation and irritation on prolonged contact. Acute Inhalation: Vapors can cause respiratory tract irritation. Acute Ingestion: Harmful if ingested. May cause irritation, nausea, diarrhea and abdominal cramps. Medical Conditions Possibly Aggravated by Exposure: Skin contact may aggravate existing skin diseases. See section 2 for further details.
<b>Eyes</b>	Causes serious eye damage.
<b>Skin</b>	Causes severe skin burns and eye damage.

**5. Fire-fighting measures**

**5.1. Extinguishing media**

Recommended extinguishing media; alcohol resistant foam, CO<sub>2</sub>, powder, water spray.

**5.2. Special hazards arising from the substance or mixture**

Hazardous decomposition: Oxides of carbon, oxides of sulfur, hydrogen sulfide

# Safety Data Sheet

## Rhodimet AT 88 (Liquid HMB)

SDS Revision Date:

03/24/2015



Do not breathe mist / vapors / spray.

### 5.3. Advice for fire-fighters

Firefighters should wear NIOSH/MSHA-approved self-contained breathing apparatus and full protective clothing. Cool containers exposed to fire with water.  
Product will burn under fire conditions.

ERG Guide No. ----

## 6. Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

### 6.2. Environmental precautions

Do not allow spills to enter drains or waterways.

### 6.3. Methods and material for containment and cleaning up

Absorb with an inert absorbent. Sweep up and place in an appropriate closed container. Clean up residual material by washing area with water. Collect washings for disposal. Do not flush to drain. Spills may be reportable to the National Response Center (800-424-8802) and to state and/or local agencies.

Contain, dilute cautiously with water, and neutralize with soda ash or lime.

## 7. Handling and storage

### 7.1. Precautions for safe handling

Avoid breathing vapors. Avoid direct or prolonged contact with skin and eyes. Only forklifts or pallet jacks should be used for unloading trucks or moving drums or IBCs.

See section 2 for further details. - [Prevention]:

### 7.2. Conditions for safe storage, including any incompatibilities

Handle containers carefully to prevent damage and spillage.

Incompatible materials: Strong bases, strong oxidizing agents, metals

Store in tightly-closed, original container. Store in an area that is cool, dry, dark and well-ventilated.

Recommended container material: polyethylene.

Container material(s) to avoid: glass, metal.

See section 2 for further details. - [Storage]:

### 7.3. Specific end use(s)

No data available.

# Safety Data Sheet

## Rhodimet AT 88 (Liquid HMB)

SDS Revision Date:

03/24/2015



### 8. Exposure controls and personal protection

#### 8.1. Control parameters

##### Exposure

CAS No.	Ingredient	Source	Value
0000583-91-5	Butanoic acid, 2-hydroxy-4-(methylthio)-	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
		Supplier	No Established Limit

#### Carcinogen Data

CAS No.	Ingredient	Source	Value
0000583-91-5	Butanoic acid, 2-hydroxy-4-(methylthio)-	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;

#### 8.2. Exposure controls

##### Respiratory

When respirators are required, select NIOSH/MSHA approved equipment based on actual or potential airborne concentrations and in accordance with regulatory standards and/or industrial recommendations.

##### Eyes

Eye contact should be prevented through the use of chemical safety glasses with side shields or splash-proof goggles. An emergency eye wash must be readily accessible to the work area.

##### Skin

Chemical resistant clothing such as coveralls/apron and boots should be worn. Chemical impervious gloves required.

##### Engineering Controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits suitable respiratory protection must be worn.

##### Other Work Practices

The following general measures should be taken when working or handling this material: 1) Do not store, use, and/or consume foods, beverages, tobacco products, or cosmetics in areas where this material is stored. 2) Wash hands and face carefully before eating, drinking, using tobacco, applying cosmetics, or using the toilet. 3) Wash exposed skin promptly to remove accidental splashes of contact with this material.

See section 2 for further details. - [Prevention]:

**Safety Data Sheet**  
**Rhodimet AT 88 (Liquid HMB)**

SDS Revision Date:

03/24/2015



**9. Physical and chemical properties**

<b>Appearance</b>	Slightly Brown Viscous Liquid
<b>Odor</b>	Acrid
<b>Odor threshold</b>	Not Measured
<b>pH</b>	<1 at 100%
<b>Melting point / freezing point</b>	10°C (40°F)
<b>Initial boiling point and boiling range</b>	248°F (120°C)
<b>Flash Point</b>	Not relevant
<b>Evaporation rate (Ether = 1)</b>	Not Measured
<b>Flammability (solid, gas)</b>	Not Applicable
<b>Upper/lower flammability or explosive limits</b>	<b>Lower Explosive Limit:</b> Not Measured <b>Upper Explosive Limit:</b> Not Measured
<b>Vapor pressure (Pa)</b>	<17 mm Hg at 20°C (68°F)
<b>Vapor Density</b>	Not Measured
<b>Specific Gravity</b>	1.21-1.23 at 25°C (77°F)
<b>Solubility in Water</b>	Not Measured
<b>Partition coefficient n-octanol/water (Log Kow)</b>	Not Measured
<b>Auto-ignition temperature</b>	Not Measured
<b>Decomposition temperature</b>	160°C (320°F)
<b>Viscosity (cSt)</b>	105 centistokes at 25°C (77°F)

**9.2. Other information**

No other relevant information.

**10. Stability and reactivity**

**10.1. Reactivity**

Hazardous Polymerization will not occur.

**10.2. Chemical stability**

Stable under normal circumstances.

**10.3. Possibility of hazardous reactions**

No data available.

**10.4. Conditions to avoid**

Excessive heat and open flame.

**10.5. Incompatible materials**

Strong bases, strong oxidizing agents, metals

# Safety Data Sheet

## Rhodimet AT 88 (Liquid HMB)

SDS Revision Date:

03/24/2015



### 10.6. Hazardous decomposition products

Oxides of carbon, oxides of sulfur, hydrogen sulfide

## 11. Toxicological information

### Acute toxicity

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
Butanoic acid, 2-hydroxy-4-(methylthio)- - (583-91-5)	No data available	No data available	No data available	No data available	No data available

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Classification	Category	Hazard Description
Acute toxicity (oral)	---	Not Applicable
Acute toxicity (dermal)	---	Not Applicable
Acute toxicity (inhalation)	---	Not Applicable
Skin corrosion/irritation	1	Causes severe skin burns and eye damage.
Serious eye damage/irritation	1	Causes serious eye damage.
Respiratory sensitization	---	Not Applicable
Skin sensitization	---	Not Applicable
Germ cell mutagenicity	---	Not Applicable
Carcinogenicity	---	Not Applicable
Reproductive toxicity	---	Not Applicable
STOT-single exposure	---	Not Applicable
STOT-repeated exposure	---	Not Applicable
Aspiration hazard	---	Not Applicable

## 12. Ecological information

### 12.1. Toxicity

No additional information provided for this product. See Section 3 for chemical specific data.

# Safety Data Sheet

## Rhodimet AT 88 (Liquid HMB)



SDS Revision Date:

03/24/2015

### Aquatic Ecotoxicity

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l
Butanoic acid, 2-hydroxy-4-(methylthio)- - (583-91-5)	Not Available	Not Available	Not Available

### 12.2. Persistence and degradability

There is no data available on the preparation itself.

### 12.3. Bioaccumulative potential

Not Measured

### 12.4. Mobility in soil

No data available.

### 12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

### 12.6. Other adverse effects

No data available.

## 13. Disposal considerations

### 13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.

## 14. Transport information

	DOT (Domestic Surface Transportation)	IMO / IMDG (Ocean Transportation)	ICAO/IATA
14.1. UN number	Not Applicable	Not Regulated	Not Regulated
14.2. UN proper shipping name	Not Regulated	Not Regulated	Not Regulated
14.3. Transport hazard class(es)	DOT Hazard Class: Not Applicable	IMDG: Not Applicable Sub Class: Not Applicable	Air Class: Not Applicable
14.4. Packing group	Not Applicable	Not Applicable	Not Applicable
14.5. Environmental hazards			
IMDG	Marine Pollutant: No		
14.6. Special precautions for user	No further information		



**Safety Data Sheet**  
**Rhodimet AT 88 (Liquid HMB)**

SDS Revision Date:

03/24/2015



**15. Regulatory information**

<b>Regulatory Overview</b>	The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented.
<b>Toxic Substance Control Act ( TSCA)</b>	All components of this material are either listed or exempt from listing on the TSCA Inventory.
<b>WHMIS Classification</b>	D2B E
<b>US EPA Tier II Hazards</b>	<b>Fire:</b> No <b>Sudden Release of Pressure:</b> No <b>Reactive:</b> No <b>Immediate (Acute):</b> Yes <b>Delayed (Chronic):</b> No

**EPCRA 311/312 Chemicals and RQs:**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

**EPCRA 302 Extremely Hazardous:**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

**EPCRA 313 Toxic Chemicals:**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

**Proposition 65 - Carcinogens (>0.0%):**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

**Proposition 65 - Developmental Toxins (>0.0%):**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

**Proposition 65 - Female Repro Toxins (>0.0%):**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

**Proposition 65 - Male Repro Toxins (>0.0%):**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

**New Jersey RTK Substances (>1%) :**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

**Pennsylvania RTK Substances (>1%) :**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

**16. Other information**

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

**Safety Data Sheet**  
**Rhodimet AT 88 (Liquid HMB)**



SDS Revision Date:

03/24/2015

The full text of the phrases appearing in section 3 is:

H303 May be harmful if swallowed.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H402 Harmful to aquatic life.

H412 Harmful to aquatic life with long lasting effects.

**This is the first version in the GHS SDS format. Listings of changes from previous versions in other formats are not applicable.**

Disclaimer: The information and recommendations in this data sheet are believed to be correct and reliable. However, the data are offered for consideration and verification by the user and Adisseo Canada Inc. offers no guarantee, warranty or representation as to the accuracy or completeness of the data.

End of Document