

SDS Revision Date:

03/24/2015

1. Identification

1.1. Product identifier

Product Identity Rhodimet AT 88 (Liquid HMB)

Alternate Names Rhodimet AT 88 (Liquid HMB)

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended useSee Technical Data Sheet.Application MethodSee Technical Data Sheet.

1.3. Details of the supplier of the safety data sheet

Company Name Adisseo USA Inc.

Adisseo USA Inc.

4400 North Point Pkwy, Suite 275

Alpharetta, GA 30022

Emergency

24 hour Emergency Telephone No.Carechem24 Toll Free (800) 727-5083 **Customer Service: Adisseo USA Inc.**For Product Information: (800) 727-1019

Tel. 678.339.1500 - Fax 678.339.1600

2. Hazard(s) identification

2.1. Classification of the substance or mixture

Skin Corr. 1;H314 Causes severe skin burns and eye damage.

Eye Dam. 1;H318 Causes serious eye damage.

2.2. Label elements

Using the Toxicity Data listed in section 11 and 12 the product is labeled as follows.



H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.



SDS Revision Date:

03/24/2015

[Prevention]:

P260 Do not breathe mist / vapors / spray.

P264 Wash thoroughly after handling.

P280 Wear protective gloves / eye protection / face protection.

[Response]:

P301+330+331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+361+353 IF ON SKIN (or hair): Remove / Take off immediately all contaminated clothing. Rinse skin with water / shower.

P304+340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305+351+338 IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing.

P310 Immediately call a POISON CENTER or doctor / physician.

P363 Wash contaminated clothing before reuse.

[Storage]:

P405 Store locked up.

[Disposal]:

P501 Dispose of contents / container in accordance with local / national regulations.

3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
Butanoic acid, 2-hydroxy-4-(methylthio)- CAS Number: 0000583-91-5	75 - 100	Skin Irrit. 2;H315 Eye Dam. 1;H318 Aquatic Chronic 3;H412	[1]

In accordance with paragraph (i) of §1910.1200, the specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

- [1] Substance classified with a health or environmental hazard.
- [2] Substance with a workplace exposure limit.
- [3] PBT-substance or vPvB-substance.
- *The full texts of the phrases are shown in Section 16.



SDS Revision Date:

03/24/2015

4. First aid measures

4.1. Description of first aid measures

General SPECIAL NOTE FOR PHYSICIAN: All treatments should be based on observed signs and

symptoms of distress in the patient. Consideration should be given to the possibility that

overexposure to materials other than this product may have occurred. Treat

symptomatically. No specific antidote available.

Inhalation Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give

artificial respiration. If unconscious place in the recovery position and obtain immediate

medical attention. Give nothing by mouth.

Eyes Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and

seek medical attention.

Skin Remove contaminated clothing. Wash skin thoroughly with soap and water or use a

recognized skin cleanser.

Ingestion If victim is conscious and alert, give 2-3 glasses of water to drink. Do not induce vomiting.

Material may enter lungs and cause severe damage. Do not give anything by mouth to an unconscious person. To prevent aspiration of swallowed material, lay victim on side with head lower than waist. Persons attending victim should avoid direct contact with heavily contaminated clothing and vomitus. Wear impervious gloves while decontaminating skin

and hair. Seek medical attention. Do not leave victim unattended.

4.2. Most important symptoms and effects, both acute and delayed

Overview Acute Eye: Corrosive. Can cause permanent damage to the cornea.

Acute Skin: Low acute dermal toxicity. Can cause redness, inflammation and irritation on

prolonged contact.

Acute Inhalation: Vapors can cause respiratory tract irritation.

Acute Ingestion: Harmful if ingested. May cause irritation, nausea, diarrhea and abdominal

cramps.

Medical Conditions Possibly Aggravated by Exposure: Skin contact may aggravate existing

skin diseases. See section 2 for further details.

Eves Causes serious eve damage.

Skin Causes severe skin burns and eye damage.

5. Fire-fighting measures

5.1. Extinguishing media

Recommended extinguishing media; alcohol resistant foam, CO₂, powder, water spray.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: Oxides of carbon, oxides of sulfur, hydrogen sulfide



SDS Revision Date:

03/24/2015

Do not breathe mist / vapors / spray.

5.3. Advice for fire-fighters

Firefighters should wear NIOSH/MSHA-approved self-contained breathing apparatus and full protective clothing. Cool containers exposed to fire with water.

Product will burn under fire conditions.

ERG Guide No. ----

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

6.2. Environmental precautions

Do not allow spills to enter drains or waterways.

6.3. Methods and material for containment and cleaning up

Absorb with an inert absorbent. Sweep up and place in an appropriate closed container. Clean up residual material by washing area with water. Collect washings for disposal. Do not flush to drain. Spills may be reportable to the National Response Center (800-424-8802) and to state and/or local agencies.

Contain, dilute cautiously with water, and neutralize with soda ash or lime.

7. Handling and storage

7.1. Precautions for safe handling

Avoid breathing vapors. Avoid direct or prolonged contact with skin and eyes. Only forklifts or pallet jacks should be used for unloading trucks or moving drums or IBCs.

See section 2 for further details. - [Prevention]:

7.2. Conditions for safe storage, including any incompatibilities

Handle containers carefully to prevent damage and spillage.

Incompatible materials: Strong bases, strong oxidizing agents, metals

Store in tightly-closed, original container. Store in an area that is cool, dry, dark and well-ventilated.

Recommended container material: polyethylene.

Container material(s) to avoid: glass, metal.

See section 2 for further details. - [Storage]:

7.3. Specific end use(s)

No data available.



SDS Revision Date:

03/24/2015

8. Exposure controls and personal protection

8.1. Control parameters

Exposure

CAS No.	Ingredient	Source	Value
0000583-91-5	Butanoic acid, 2-hydroxy-4-(methylthio)-	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
	Supplier	No Established Limit	

Carcinogen Data

CAS No.	Ingredient	Source	Value
	Butanoic acid, 2-hydroxy-4-	OSHA	Select Carcinogen: No
	(methylthio)-		Known: No; Suspected: No
IARC		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;

8.2. Exposure controls

Respiratory When respirators are required, select NIOSH/MSHA approved equipment based on actual

or potential airborne concentrations and in accordance with regulatory standards and/or

industrial recommendations.

Eyes Eye contact should be prevented through the use of chemical safety glasses with side

shields or splash-proof goggles. An emergency eye wash must be readily accessible to the

work area.

Skin Chemical resistant clothing such as coveralls/apron and boots should be worn. Chemical

impervious gloves required.

Engineering Controls Provide adequate ventilation. Where reasonably practicable this should be achieved by the

use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits

suitable respiratory protection must be worn.

Other Work Practices The following general measures should be taken when working or handling this material: 1)

Do not store, use, and/or consume foods, beverages, tobacco products, or cosmetics in areas where this material is stored. 2) Wash hands and face carefully before eating, drinking, using tobacco, applying cosmetics, or using the toilet. 3) Wash exposed skin

promptly to remove accidental splashes of contact with this material.

See section 2 for further details. - [Prevention]:



SDS Revision Date:

03/24/2015

9. Physical and chemical properties

Appearance Slightly Brown Viscous Liquid

Odor Acrid

Odor threshold Not Measured

pH <1 at 100%

Melting point / freezing point 10°C (40°F)
Initial boiling point and boiling range 248°F (120°C)

Flash Point Not Relevant

Evaporation rate (Ether = 1) Not Measured
Flammability (solid, gas) Not Applicable

Upper/lower flammability or explosive limits Lower Explosive Limit: Not Measured

Vapor pressure (Pa)

Upper Explosive Limit: Not Measured
<17 mm Hg at 20°C (68°F)

Vapor Density Not Measured

Specific Gravity 1.21-1.23 at 25°C (77°F)

Solubility in Water Not Measured
Partition coefficient n-octanol/water (Log Kow) Not Measured

Auto-ignition temperatureNot MeasuredDecomposition temperature160°C (320°F)

Viscosity (cSt) 105 centistokes at 25°C (77°F)

9.2. Other information

No other relevant information.

10. Stability and reactivity

10.1. Reactivity

Hazardous Polymerization will not occur.

10.2. Chemical stability

Stable under normal circumstances.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

Excessive heat and open flame.

10.5. Incompatible materials

Strong bases, strong oxidizing agents, metals

10.6. Hazardous decomposition products



SDS Revision Date:

03/24/2015

Oxides of carbon, oxides of sulfur, hydrogen sulfide

11. Toxicological information

Acute toxicity

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
Butanoic acid, 2-hydroxy-4-(methylthio) (583-91-5)	No data available	No data available	No data available	No data available	No data available

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Classification	Category	Hazard Description
Acute toxicity (oral)		Not Applicable
Acute toxicity (dermal)		Not Applicable
Acute toxicity (inhalation)		Not Applicable
Skin corrosion/irritation	1	Causes severe skin burns and eye damage.
Serious eye damage/irritation	1	Causes serious eye damage.
Respiratory sensitization		Not Applicable
Skin sensitization		Not Applicable
Germ cell mutagenicity		Not Applicable
Carcinogenicity		Not Applicable
Reproductive toxicity		Not Applicable
STOT-single exposure		Not Applicable
STOT-repeated exposure		Not Applicable
Aspiration hazard		Not Applicable

12. Ecological information

12.1. Toxicity

No additional information provided for this product. See Section 3 for chemical specific data.



SDS Revision Date:

03/24/2015

Not Applicable

Aquatic Ecotoxicity

Ingredient	96 hr LC50 fish,	48 hr EC50 crustacea,	ErC50 algae,	
	mg/l	mg/l	mg/l	
Butanoic acid, 2-hydroxy-4-(methylthio) (583-91-5)	Not Available	Not Available	Not Available	

12.2. Persistence and degradability

There is no data available on the preparation itself.

12.3. Bioaccumulative potential

Not Measured

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

12.6. Other adverse effects

No data available.

13. Disposal considerations

13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.

14. Transport information

DOT (Domestic Surface IMO / IMDG (Ocean ICAO/IATA **Transportation**) **Transportation**) Not Regulated 14.1. UN number Not Applicable Not Regulated Not Regulated 14.2. UN proper shipping Not Regulated Not Regulated name 14.3. Transport hazard **DOT Hazard Class: Not IMDG:** Not Applicable Air Class: Not Applicable class(es) Applicable Sub Class: Not Applicable

Not Applicable

14.5. Environmental hazards

14.4. Packing group

IMDG Marine Pollutant: No

14.6. Special precautions for user

No further information

Not Applicable



SDS Revision Date:

03/24/2015

15. Regulatory information

Regulatory Overview The regulatory data in Section 15 is not intended to be all-inclusive, only selected

regulations are represented.

Toxic Substance Control Act (TSCA) All components of this material are either listed or exempt from listing on the TSCA

Inventory.

WHMIS Classification D2B E

US EPA Tier II Hazards

Sudden Release of Pressure: No

Reactive: No

Fire: No

Immediate (Acute): Yes Delayed (Chronic): No

EPCRA 311/312 Chemicals and RQs:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

EPCRA 302 Extremely Hazardous:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

EPCRA 313 Toxic Chemicals:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Carcinogens (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Developmental Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Female Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Male Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

New Jersey RTK Substances (>1%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Pennsylvania RTK Substances (>1%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

16. Other information

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H303 May be harmful if swallowed.

ADISSEO

SDS Revision Date: 03/24/2015

H315 Causes skin irritation.

H318 Causes serious eye damage.

H402 Harmful to aquatic life.

H412 Harmful to aquatic life with long lasting effects.

This is the first version in the GHS SDS format. Listings of changes from previous versions in other formats are not applicable.

Disclaimer: The information and recommendations in this data sheet are believed to be correct and reliable. However, the data are offered for consideration and verification by the user and Adisseo Canada Inc. offers no guarantee, warranty or representation as to the accuracy or completeness of the data.

End of Document